

1. Unique identification code of the product-type: **DRL** (8695xx), (RB-xxxxxx)
2. Intended use: **PVC flat roof windows with non-transparent infill intended for installation in residential and commercial buildings.**
3. Manufacturer: **FAKRO PP Sp. z o.o.
ul. Węgierska 144a,
33-300 Nowy Sącz, Poland
fakro@fakro.pl**
4. Authorised representative: *./.*
5. System of assessment and verification of constancy of performance: **3**
6. Harmonised standard: **EN 14351-1:2006+A1:2010**
 Notified body: **Building Research Institute (notification No. 1488), performed initial type test in system 3 (included in points 7.1-7.11) and prepared classification report.**
7. Declared performance:

Essential characteristics		Performance		Harmonised technical specification
		DRL		
7.1	Resistance to wind load	Class C5/B5 (1)		4.2
7.2	Resistance to snow load	npd (2)		4.3
7.3	Reaction to fire	npd		4.4
7.4	External fire performance	npd		4.4
7.5	Watertightness. Non-shielded (A)	E900		4.5
7.6	Impact resistance	Class 5 – 950mm		4.7
7.7	Load-bearing capacity of safety device	npd/threshold value (3)		4.8
7.8	Acoustic performance [dB]	30 (0;-2)		4.11
7.9	Thermal transmittance [W/m ² K]	0.67 (4)		4.12
7.10	Radiation properties: - Solar factor g - Light transmittance	npd npd		4.13
7.11	Air permeability	Class 4		4.14

EN 14351-1:2006+A1:2010

(1) for the windows with the width of >86 cm and height of >130 cm: npd, (2) npd – no performance determined, (3) applies to DRL with fitted ZBR lock, (4) for the size 92x130 [cm]

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer by:



Ewa Łukaszczyk-Haslik
 (Certification and Quality Control Director)

Nowy Sącz, 09/01/2016